


**PROVISIONAL
TECHNICAL
DATA SHEET**

K 3 0 F I N E L I N E N

K30 FINE LINEN is a bioriented embossed polypropylene film with one side flame treated (*outside*) and the other one corona treated.

This film is not suitable to come into direct contact with food and does not comply with EN-71.



TYPICAL TECHNICAL FEATURES ^(*)

PHYSICAL PROPERTIES	METHOD	UNIT	VALUE code 201/04
Thickness	Internal	µm	30
Grammage	DIN EN ISO 536	g/m ²	27 ± 2,7

MECHANICAL PROPERTIES	METHOD	UNIT	VALUE code 201/04
Tensile strength at break	DIN EN ISO 527-3	MPa	MD
			TD
Elongation at break	DIN EN ISO 527-3	%	MD
			TD

STORAGE

Store the material in a dry location (preferably with RH < 50%) at a constant temperature between 10°C and 30°C. Do not leave it exposed to direct sunlight or atmospheric agents. Partially used reels have to be repacked as originally supplied.

WARRANTY

Material processability is guaranteed up to 6 months since shipment date, as long as it is stored correctly. It is recommended to condition the material at room temperature at least 24 hours before its use.

DISCLAIMERS

(*) Since this is a provisional data sheet, the information and data contained therein are to be validated in the next productions and, therefore, are susceptible of variation by ULTRALEN FILM GmbH.

ULTRALEN FILM GmbH

LUSTGARTENSTRASSE, 6 - 79576 WEIL AM RHEIN - DEUTSCHLAND
USt.ID: DE229822516



ULTRALEN FILM GmbH gives no warranty, expressed or implied, as to the suitability of the material for a specific application or characteristic use. An industrial homologation test of the material in actual conditions of purpose is always needed in order to verify its suitability for the specific application or characteristic use.

Before using the material, it is advisable to check the compatibility of the inks and adhesives to be purposed with the type and level of its treatment.

ULTRALEN FILM GmbH

LUSTGARTENSTRASSE, 6 - 79576 WEIL AM RHEIN - DEUTSCHLAND

USt.ID: DE229822516

Tel.: (0049) 76214223880 Fax: (0049) 76214223839

e-mail: info@ultralen.com web: www.ultralen.com